



Si Si Xiao 矽喜效 Potassium Silicate

FUNGSI

- Mencegah keretakan buah, menentang perosak dan penyakit, menghalang pertumbuhan kulat atau bakteria panjang
- Meningkatkan keasidan tanah, kemasinan dan logam berat
- Ketahanan terhadap kesusahan (kekeringan, selaran matahari, sejuk), menguatkan dinding sel tumbuhan dan mengurangkan penyejatan air daripada pokok
- Meningkatkan pengeluaran dan kemanisan tebu, jagung dan beras.

TUMBUHAN

Durian, buah-buahan pokok, masi, buah-buahan tembikai, kekacang, solanaceae, cucurbitaceae

CARA PENGGUNAAN

POKOK BUAH-BUAHAN

Pertengahan buah-tuaian: sekali dalam 10-15 hari
Biasa: sekali sebulan

SEMBURAN DAUN

Dicairkan 1000-2000 kali
20L air+10-20ml

SEMBURAN AKAR

sekalinya setiap 2 bulan
Dicairkan 500-1000 kali
20L air+20-40ml

JENIS-JENIS TEMBIKAI

Mahkota batang dan pertumbuhan daun - berbunga dan berbuah
Sekali dalam 10-15 hari

SEMBURAN DAUN

Dicairkan 1000-2000 kali 20L air+10-20ml

KANDUNGAN:

Silika larut air : 12% (w/v)
Kalium oksida larut air : 9% (w/v)
Kalsium oksida larut air : 15% (w/v)

使用方式

果樹
中果期~採收10~15天噴一次
平常日:一個月一次

葉面噴
20L水桶+10~20ml
稀釋1000~2000倍

土壤灌根:2個月一次
20L水桶+20~40ml
稀釋500~1000倍

瓜果類:葉冠葉片成長~開花有果
10~15天噴一次

葉面噴
20L水桶+10~20ml 稀釋1000~2000倍

產品功用

- 防止裂果、抗病蟲害、可抑制真菌或細菌生長。
- 改善土壤酸性、鹽害、重金屬。
- 抗逆境(乾旱、日燒、寒冷)、強化植物細胞壁、減少樹體水分蒸散。
- 增加稻米、甘蔗、玉米產量、抗倒伏、增甜度。

應用作物

榴槤、果樹、瓜果、禾本科(稻米)、豆科、茄科、葫蘆科

產品成分

水溶性氧化矽: 12% (w/v)
水溶性氧化鉀: 9% (w/v)
水溶性氧化鈣: 15% (w/v)

BENEFITS

- Prevent cracked fruit, resist pests and diseases, suppress fungal and germ growth
- Improve acidic, salt-affected, and heavy metal impregnated soil
- Help resist severe weather (draught, high heat, coldness), fortify the cell structure and cut down evaporation
- Increase the production and sweetness of sugar canes, corn, and rice.

APPLIED CROPS

Rice, Corn, Durian, Melons, Leguminous, Solanaceae, Cucurbitaceae

KANDUNGAN:

Water-soluble silica : 12% (w/v)
Water-soluble potassium oxide : 9% (w/v)
Water-soluble calcium oxide : 15% (w/v)

INSTRUCTIONS

FRUIT TREE

Mid-fruit stage - harvest: once every 10-15 days
Normally: 1 month

FOLIAR APPLICATION

Dilute with 1000-2000 times
20L water +10-20ml

ROOT APPLICATION

once every 2 months
Dilute 500-1000 times
20L water +20-40ml

MELONS

start when crown leaf is expanded to flowering and fruiting stage
Once every 10-15 days

FOLIAR FERTILIZATION

Silute 1000-2000 times 20L water +10-20ml